


Rock
The Look of
Natural Stone



EARTH
— COLLECTION —
300 x 600 mm



EARTH COLLECTION


300 x 600 mm



Driven through trust, innovation and technology, inhalco is one of the leading manufacturers and exporters of ceramic products and tiles. With the state-of-art infrastructure facility, we lead with an intelligent approach to creative design and high-end technology, offering various international standard quality products. Working along with a wide range of products, inhalco is the one-stop solution to redesigning and planning homes and workspaces.

At inhalco, we believe in Keeping up with the new trends of art and infrastructure. Therefore we have introduced a new range - 'Earth Collection', boasting of ethnicity and inspired by nature. With an Intelligent Mix of Design and Technology, the Earth Collection instils colours and Textures from nature. Discover innovative ways to beautify your spaces. It comes in random moulds with 12 mm of thickness. This range is all set to infuse life to your walls and floors due to its unique mould pattern, thickness and rustic glaze.

FORMAT
SIZE
30x60CM
12"x24"



ZONAS RESIDENCIALES
RESIDENTIAL AREAS



PASEOS URBANOS
URBAN AREAS



TERRAZAS Y PATIOS
TERRACE & PATIOS



ZONAS COMERCIALES
COMMERCIAL AREAS




PISCINAS
SWIMMING POOLS




JARDINES
GARDENS



INDELIBLE SIGNS OF HISTORY





Our Rustic Matt Finish gives easy solutions to urban areas and heavy traffic places. The best extruded GVT tile with 12 mm thickness and an antislip rate R11. Earth Collection Tiles are highly resistant against abrasion, as well as a strong bending resistance. Earth Collection is perfect for pedestrian areas, squares in the city, traffic areas, entrance of houses, urban area and all kind of heavy duty areas.


Random
MOULDS

Modular
PARKING

Pavimento
INTERIOR & EXTERIOR

**“ARCHEA” NEWLY DEFINES
ARCHITECTURE WITH A
HARMONIOUS BALANCE
BETWEEN THE
NATURAL ELEGANCE OF
STONE AND THE
STRUCTURAL STRENGTH
OF PORCELAIN
STONEWARE**

For us, Made in India is not just a slogan, but an expression of authentic values. We are talking about ethics, responsibility and transparency towards our workers, the territory and environment. Being a protagonist of **“Made In India”** means guaranteeing a unique, high quality product, which embodies all the aesthetic ability, creativity, research and technological innovation that has always distinguished Indian ceramics worldwide. Rey considers transparency an essential and fundamental value in its dealings with everyone, from customers and suppliers to staff.



**1ST
TIME
IN
INDIA**


Lithos Almond



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES


EARTH
— COLLECTION —





Lithos Almond

Size & Thickness :




12 MM THICKNESS | **32** RANDOMS

Packaging Details :


Pcs Per Box 4 Pcs.	Weight Per Box 18 kg. (Approx)
Area Coverage 0.72 sqm./per box	Box Per Pallet 72

Technical Notes :






Lithos Caramel



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES


EARTH
— COLLECTION —





Lithos Caramel

Size & Thickness :





12 MM THICKNESS | **32** RANDOMS

Packaging Details :


Pcs Per Box 4 Pcs.	Weight Per Box 18 kg. (Approx)
Area Coverage 0.72 sqm./per box	Box Per Pallet 72

Technical Notes :






Lithos Charcol



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES


EARTH
— COLLECTION —





Lithos Charcol

Size & Thickness :




12 MM THICKNESS | **32** RANDOMS

Packaging Details :

Pcs Per Box 4 Pcs.	Weight Per Box 18 kg. (Approx)
Area Coverage 0.72 sqm./per box	Box Per Pallet 72

Technical Notes :





Lithos Milas



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES


EARTH
— COLLECTION —





Lithos Milas

Size & Thickness :





12 MM THICKNESS | **32** RANDOMS

Packaging Details :

Pcs Per Box 4 Pcs.	Weight Per Box 18 kg. (Approx)
Area Coverage 0.72 sqm./per box	Box Per Pallet 72

Technical Notes :





Lithos Moss



30x60cm / 12"x24"
RUSTIC MATT SURFACE


MODULAR PARKING TILES

EARTH
— COLLECTION —



Lithos Moss

Size & Thickness :




12 MM THICKNESS | **32** RANDOMS

Packaging Details :

Pcs Per Box 4 Pcs.	Weight Per Box 18 kg. (Approx)
Area Coverage 0.72 sqm./per box	Box Per Pallet 72

Technical Notes :





Lithos Umber



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES


EARTH
— COLLECTION —





Lithos Umber

Size & Thickness :




12 MM THICKNESS | **32** RANDOMS

Packaging Details :


Pcs Per Box 4 Pcs.	Weight Per Box 18 kg. (Approx)
Area Coverage 0.72 sqm./per box	Box Per Pallet 72

Technical Notes :





Lithos Bronze



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES


EARTH
— COLLECTION —





Lithos Bronze

Size & Thickness :




12 MM THICKNESS | **32** RANDOMS

Packaging Details :


Pcs Per Box 4 Pcs.	Weight Per Box 18 kg. (Approx)
Area Coverage 0.72 sqm./per box	Box Per Pallet 72

Technical Notes :





Lithos Negro



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES


EARTH
— COLLECTION —





Lithos Negro

Size & Thickness :





12 MM THICKNESS | **32** RANDOMS

Packaging Details :

Pcs Per Box 4 Pcs.	Weight Per Box 18 kg. (Approx)
Area Coverage 0.72 sqm./per box	Box Per Pallet 72

Technical Notes :






Lithos Beige



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES


EARTH
— COLLECTION —





Lithos Beige

Size & Thickness :





12 MM THICKNESS | **32** RANDOMS

Packaging Details :

Pcs Per Box 4 Pcs.	Weight Per Box 18 kg. (Approx)
Area Coverage 0.72 sqm./per box	Box Per Pallet 72

Technical Notes :






Lithos Copper



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES


EARTH
— COLLECTION —





Lithos Copper

Size & Thickness :





12 MM THICKNESS | **32** RANDOMS

Packaging Details :


Pcs Per Box 4 Pcs.	Weight Per Box 18 kg. (Approx)
Area Coverage 0.72 sqm./per box	Box Per Pallet 72

Technical Notes :





Lithos Cotto



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES


EARTH
— COLLECTION —





Lithos Cotto

Size & Thickness :




12 MM THICKNESS | **32** RANDOMS

Packaging Details :

Pcs Per Box 4 Pcs.	Weight Per Box 18 kg. (Approx)
Area Coverage 0.72 sqm./per box	Box Per Pallet 72

Technical Notes :






Lithos Grey



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES


EARTH
— COLLECTION —





Lithos Grey

Size & Thickness :




12 MM THICKNESS | **32** RANDOMS

Packaging Details :

Pcs Per Box 4 Pcs.	Weight Per Box 18 kg. (Approx)
Area Coverage 0.72 sqm./per box	Box Per Pallet 72

Technical Notes :





Lithos Iron



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES


EARTH
— COLLECTION —





Lithos Iron

Size & Thickness :




12 MM THICKNESS | **32** RANDOMS

Packaging Details :

Pcs Per Box 4 Pcs.	Weight Per Box 18 kg. (Approx)
Area Coverage 0.72 sqm./per box	Box Per Pallet 72

Technical Notes :





Lithos Ocean



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES


EARTH
— COLLECTION —





Lithos Ocean

Size & Thickness :





12 MM THICKNESS | **32** RANDOMS

Packaging Details :


Pcs Per Box 4 Pcs.	Weight Per Box 18 kg. (Approx)
Area Coverage 0.72 sqm./per box	Box Per Pallet 72

Technical Notes :





Lithos Rust



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES


EARTH
— COLLECTION —





Lithos Rust

Size & Thickness :




12 MM THICKNESS | **32** RANDOMS

Packaging Details :

Pcs Per Box 4 Pcs.	Weight Per Box 18 kg. (Approx)
Area Coverage 0.72 sqm./per box	Box Per Pallet 72

Technical Notes :





Lithos Travertine



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES


EARTH
— COLLECTION —





Lithos Travertine

Size & Thickness :





12 MM THICKNESS | **32** RANDOMS

Packaging Details :

Pcs Per Box 4 Pcs.	Weight Per Box 18 kg. (Approx)
Area Coverage 0.72 sqm./per box	Box Per Pallet 72

Technical Notes :





TECHNICAL FEATURES

STANDARD UNI EN 14411 - ISO 13006 Annex G Group Blb

TILE TYPE	GLAZED PORCELAIN TILE GROUP Blb	REFERENCE STANDARD
MANUFACTURING PROCESS	SINGLE FIRING	DRY PRESSED PORCELAIN TILE
SIZES	LENGTH AND WIDTH ±0.6% max LINERITY ±0.5% max THICKNESS ±5% max	UNI EN ISO 10545/2
WATER ABSORPTION	0.08 % < E ≤ 1%	UNI EN ISO 10545/3
BENDING STRENGTH	S ≥ 1300 N R ≥ 35 N/MM ²	UNI EN ISO 10545/4
ABRASION RESISTANCE (GLAZED TILES)	PLEASE CHECK FOR EACH ITEM	UNI EN ISO 10545/7
THERMAL SHOCK	NO SAMPLE SHOW VISIBLE DEFECTS	UNI EN ISO 10545/9
FROST RESISTANCE	IT STANDS THE TEST	UNI EN ISO 10545/12
CHEMICAL RESISTANCE (ACIDS AND ALKALIS)	MINIMUM TYPE GLB	UNI EN ISO 10545/13
STAIN RESISTANCE	MINIMUM CLASS 4	UNI EN ISO 10545/14
SLIP RESISTANCE	R10	DIN 51130
SCRATCH HARDNESS OF SURFACE	8	UNI EN 101

Technical Features:



FIREPROOF
Fire-resistant products, that does not emit smoke or toxic substances.



UNALTERABLE COLORS
Colors are totally stable, and cannot be altered by, the exposure to the sun.



HYGIENIC
It does not retain organic substances or bacteria, thus preventing its proliferation.



WEAR RESISTANT
Resistant to abrasion, and wear, which makes, it a durable product.



WATER RESISTANT
Surface with low level of absorption, which makes it resistant to liquids and moisture.



RESISTANT TO CHEMICALS
Chemicals as detergents, or solvents do not, alter its surface.



RESISTANT TO STAINS
Its low porosity makes, it a stain resistant tile, resulting in easier cleanability.



ANTI SLIP
Its surface is non-slip, responding to the, international standards in force.



SCRATCH RESISTANT
The hardness of it's surface, makes it scratch, resistant and hard-wearing.



ECOLOGIC
100% natural product, that can be easily recycled.

Application Area:



ZONAS RESIDENCIALES
RESIDENTIAL AREAS



PASEOS URBANOS
URBAN AREAS



TERRAZAS Y PATIOS
TERRACE & PATIOS



ZONAS COMERCIALES
COMMERCIAL AREAS



PISCINAS
SWIMMING POOLS



JARDINES
GARDENS

Packaging Details:

Size	pcs / Box	m ² / Box	Kg / Box
300x600mm	4 pcs.	0.72 Sq.Mtr.	18 KG (Approx)



CORPORATE OFFICE:

Edan Ceramic City, Opp. Honest Hotel,
8-A NH, At. Lalpar - 363642, Dist. Morbi, Gujarat - (INDIA)

E-mail : export@reyceramic.com | **Mob.:** +91 90999 06545

GROUP OF COMPANIES:

REY CERA CREATION PVT. LTD.

8-A, N.H , Sartanpar Road, Opp. Kevin Ceramic,
At. Ratavirda, Tal. Wankaner, Dist. Morbi (Gujrat) India.

SIMBEL CERAMIC PVT. LTD.

8-A, National Highway, Dhuva-Matel Road,
At. Lakaddhar, Morbi - 363 642, Gujarat, India

ADORATION CERAMICA PVT.LTD.

8-A, N.H , Virpar-Bhimguda Road, Opp. Armano Vitrified,
Ta. Vankaner, Dist. Morbi (Gujrat) India.



WEB: www.reycera.com

Join us on: | [f](#) [@](#) [t](#) [in](#)