



The reach feel of  
*the sand awaits you*

**60X120CM**  
**CARVING COLLECTION**

[www.reycera.com](http://www.reycera.com)



## *Elegance* Luxury Style &

**20+** Years Experience

**800+** Happy Customers

**57+** Export Country

**100%** Quality



manufacturing and selling integral porcelain tiles for all kinds of flooring and wall tiling solutions.

The manufacturing plant and main offices in Morbi, Gujarat IN, and the Worldwide logistics warehouses, make it possible to supply and deliver all the items in customers' orders. Through its national and international distribution network, Rey Cera exports tiles to more than 85 countries in all five continents.

As a result of our commitment to quality, all of our products comply with the guidelines of the ISO 9001:2000 standard, which guarantees that our research, development and commercializations are carried out with the maximum guarantees.


# SURFACE FOR ULTIMATE DESIGN PROJECTS

An accurate selection of Tiles that we replicates to meet the aesthetic and practical needs of every interior design project the Tiles of classical tradition have always been the protagonists of architecture in warm and cool tones, We recognized all over the world for their purity, original colors reinterpreted and proposed in a new perspective.

The true distinctive strength of the "Soul" design lies in the fact that we have enhanced rather than discarded, selecting the most natural part of the oak with all its wonderful imperfections and letting it fully express itself through the three variants "natural", "rustic" and "reclaimed" which most pertain to this wonderful timber, as old as humankind and as deep as the emotions it always generates in those exposed to it.

## TECHNICAL SPECIFICATION

- |   |  |  |  |   |  |
|---|--|--|--|---|--|
| <br>Long durability  | <br>Easy to clean   | <br>Impact Resistance   | <br>Frost Resistance  | <br>Low water absorption     | <br>Dimensional stability |
| <br>Hygienic surface | <br>Fire Resistance | <br>Chemical Resistance | <br>Easy Installation | <br>Thermal shock Resistance | <br>Crazing Resistance    |



MATT  
CARVING

TERAZZO  
CARVING

DECOR  
CARVING




# 1st ceramic company to introduce patented **E N D M A T C H** Concept across the world!



INTELLECTUAL  
PROPERTY INDIA  
PATENTS | DESIGNS | TRADE MARKS  
GEOGRAPHICAL INDICATIONS



**1<sup>ST</sup>**  
TIME  
IN  
WORLD



## **Matt Carving 600X1200MM**

Carving tiles is a creative and intricate art form that involves carving designs and patterns into various types of tiles, such as ceramic, clay, marble, or stone.

[www.reycera.com](http://www.reycera.com)





*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —


**ALBURY BEIGE**

600x1200mm



# ALBURY BEIGE


CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**DOLCE CREMA**

600x1200mm



# DOLCE CREMA


CARVING SURFACE



Size  
600x1200mm



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**DOLCE PEACH**

600x1200mm



# DOLCE PEACH

CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**DORIAN CREM**

600x1200mm



# DORIAN CREM


CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**NEXA SATUARIO**

600x1200mm



# NEXA SATUARIO


CARVING SURFACE



Size  
600x1200mm



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**OROBİ BIANCO**

600x1200mm



# OROBİ BIANCO

CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**OROBİ NATURAL**

600x1200mm



# OROBI NATURAL

CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**OVIE BEIGE**

600x1200mm



# OVIE BEIGE


CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —


**OVIE ICE**  
600x1200mm



**OVIE ICE**  
CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**OVIE VERDE**

600x1200mm




# OVIE VERDE


CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**PERSEO CARRARA**

600x1200mm



# PERSEO CARRARA

CARVING SURFACE




Size  
**600x1200mm**

## Terazzo Carving 600X1200MM

This process involves carefully etching or carving the surface of the tile to create decorative elements.

[www.reycera.com](http://www.reycera.com)





*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —


**TERAZZO BIANCO**

600x1200mm



# TERAZZO BIANCO

CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**TERAZZO VERDE**

600x1200mm



# TERAZZO VERDE

CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**TERAZZO JAISALMER**

600x1200mm



# TERAZZO JAISALMER


CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**TERAZZO MOCHA**

600x1200mm



# TERAZZO MOCHA


CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
...La Marmo Infinito...


**TERAZZO SKY**

600x1200mm



# TERAZZO SKY

CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**TERAZZO SNOW**

600x1200mm



# TERAZZO SNOW

CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**CHAMPION BEIGE**

600x1200mm



# CHAMPION BEIGE


CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**CHAMPION BROWN**

600x1200mm



# CHAMPION BROWN

CARVING SURFACE



Size  
600x1200mm





*infinite possibilities*




**DELACOUR CLASSIC**

600x1200mm




**DELACOUR CLASSIC**  
CARVING SURFACE



Size  
600x1200mm



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**DELACOUR CREAM**


600x1200mm



**DELACOUR CREAM**  
CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**HERCULAS NATURAL**

600x1200mm



# HERCULAS NATURAL


CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**HERCULAS OAT**

600x1200mm



# HERCULAS OAT

CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**HERCULAS SKY**

600x1200mm



# HERCULAS SKY

CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**PICASO CREMA**

600x1200mm




# PICASO CREMA

CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



**TWILIGHT GREY**

600x1200mm



# TWILIGHT GREY

CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
...La Marmo Infinito...

**TWILIGHT NATURAL**

600x1200mm



# TWILIGHT NATURAL

CARVING SURFACE



Size  
**600x1200mm**



*infinite possibilities*



 **ENDMATCH**  
— La Marmo Infinito —

**VELVET BOTTOCHINO NATURAL**

600x1200mm



**VELVET BOTTOCHINO  
NATURAL**  
CARVING SURFACE



Size  
**600x1200mm**

# EXPORTS WORLDWIDE



## U.S. TERRITORY

-  MEXICO
-  CANADA

## ASIAN TERRITORY

-  SRILANKA
-  MAURATIUS
-  AUSTRALIA
-  VIETNAME
-  TAIWAN
-  THAILAND
-  AFGHANISTAN
-  BANGLADESH
-  NEPAL

## SOUTH AMERICA / LATIN AMERICA TERRITORY

-  BOLIVIA
-  CHILE
-  COLOMBIA
-  COSTARICA
-  BDOMINICAN REPUBLIC
-  GUATEMALA
-  HAITI
-  HONDURAS
-  PANAMA
-  PERU
-  PUERTO RICO
-  EL SALVADOR
-  VENEZUELA
-  JAMAICA
-  CURACAO
-  NICARAGUA
-  TOBAGO
-  BURKINA FASO
-  TRINIDAD & TOBAGO
-  ECUADOR

## EUROPE & BALCON TERRITORY

-  ALBANIA
-  KOSOVO
-  MACEDONIA
-  GREECE
-  SPAIN

## NORTH AFRICA TERRITORY

-  LIBYA
-  NIGERIA
-  SOUTH AFRICA
-  MOROCO
-  ISRAEL
-  TUNISIA
-  SURINAME

## MIDDLE EAST TERRITORY

-  BAHRAIN
-  IRAQ
-  KUWAIT
-  OMAN
-  QATAR
-  SAUDI AREBIA
-  LEBANON
-  JORDAN
-  SYRIA



# TECHNICAL SPECIFICATIONS



## TECHNICAL SPECIFICATIONS - GLAZED VITRIFIED TILES (GROUP Bla)

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BLA	PORCELAIN VALUE
<b>DIMENSION &amp; SURFACE QUALITY</b>			
Deviation In Length	ISO-10545-2	±0.6%	±0.2%
Deviation In Thickness	ISO-10545-2	±5%	±4%
Straightness Of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
<b>PHYSICAL &amp; THERMAL PROPERTIES</b>			
Water Absorption	ISO-10545-3	<0.5%	<0.2%
Mohs Hardness	EN-101	Min.3	Min.3
Flexural Strength	ISO-10545-4	>35 N/mm <sup>2</sup>	>40N/mm <sup>2</sup>
Skid Resistance (Friction Coefficient)	ISO-10545-17	-	<0.2 (R9)
Breaking Strength	ISO-10545-11	>1113 N	>1800 N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	-	PEI III & IV
<b>CHEMICAL PROPERTIES</b>			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

## TECHNICAL SPECIFICATIONS - CERAMIC TILES

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BLA	CERAMIC VALUE
<b>DIMENSION &amp; SURFACE QUALITY</b>			
Deviation In Length	ISO-10545-02	±0.20%	±0.10%
Deviation In Thickness	ISO-10545-02	±7.00%	±0.10%
Straightness Of Sides	ISO-10545-02	±0.15%	±0.10%
Rectangularity	ISO-10545-02	±0.20%	±0.15%
Surface Flatness	ISO-10545-02	±0.30%	±0.20%
<b>PHYSICAL &amp; THERMAL PROPERTIES</b>			
Water Absorption	ISO-10545-03	<10%	16±2%
Mohs Hardness	EN-101	Min. Class 3	Compliant
Flexural Strength	ISO-10545-04	R >15 N/mm <sup>2</sup>	Compliant
Skid Resistance (Friction Coefficient)	ISO-10545-08	<9.0 x 10 <sup>-6</sup> EC <sup>-1</sup>	Compliant
Breaking Strength	ISO-13630-06	600 Min.	Compliant
Frost Resistance	ISO-13630-03	0.04 mm/M Max.	Compliant
Thermal Shock Resistance	ISO-10545-09	Min. 10 Cycles	Compliant
Moisture Expansion	ISO-13630-03	0.04 mm/M Max.	Passed 10 Cycle
Resistance to Surface Abrasion	ISO-13630-14	0.55 Min.	4 Cycle Passed
<b>CHEMICAL PROPERTIES</b>			
Chemical Resistance	ISO-10545-13	As per Mfg.	No visible effect
Color Resistance	ISO-10545-13	Class AA Min.	Compliant
Stain Resistance	ISO-10545-14	Class 1 Min.	Compliant



**CORPORATE OFFICE:**

Edan Ceramic City, Opp. Honest Hotel,  
8-A NH, At. Lalpar - 363642, Dist. Morbi, Gujarat - (INDIA)

**E-mail :** [export@reyceramic.com](mailto:export@reyceramic.com) | **Mob.:** +91 90999 06545

**GROUP OF COMPANIES:**

**REY CERA CREATION PVT. LTD.**

8-A, N.H , Sartanpar Road, Opp. Kevin Ceramic,  
At. Ratavirda, Tal. Wankaner, Dist. Morbi (Gujrat) India.

**SIMBEL CERAMIC PVT. LTD.**

8-A, National Highway, Dhuva-Matel Road,  
At. Lakaddhar, Morbi - 363 642, Gujarat, India

**ADORATION CERAMICA PVT.LTD.**

8-A, N.H , Virpar-Bhimguda Road, Opp. Armano Vitrified,  
Ta. Vankaner, Dist. Morbi (Gujrat) India.



**WEB:** [www.reycera.com](http://www.reycera.com)

Join us on: | [f](#) [@](#) [t](#) [in](#)