



Carving

600x1200MM





The strategic perspective of REY is enriched with a new technology, with a horizon of beauty, creativity and functionality, which puts the values of ceramics at the center.

REY'S collections embody the combination of beauty, design and nature, in a perfect equilibrium achieved through what has always been a deliberate and thought-out approach. Our constant commitment, supported by continuous technological research, has enabled us to improve and to develop a “sustainable” porcelain stoneware, made with natural materials and with the partial use of recycled materials



Research & Development

REY believes in the advancement for better living. Technology has booned us with various innovations, that grant us a better chance to innovate. In earlier times, there was no scope of making scratch proof or slip resistant tiles. But with the new technical machineries, it is possible to manufacture vitrified tiles which have several other benefits as well. Another major factor to help us bring about the latest products and designs in the Ceramic industry is, our research department. At REY, we perform R&D for, each and every product we manufacture beforehand. This helps us understand the best practices required for manufacturing and other significant dynamics.

Technical Details:



Waterproof



Scratch Resistant



Ecology



Hygienic Surface



Stain Resistant




Frost Resistant



Feel The Crave For

Carving



Every tiles is **Masterpiece**

For architecture and design, carving are an excellent planning and style resource, ideal for creating grand, striking effects; they're equally suitable for smaller spaces, offering versatility in terms of composition and material.

Clay features the coated effect typical of carving, with a slightly shiny effect on a matt surface, in a palette of dense colours, both warm and cool, ranging from white through three different shades of grey, from greige to taupe, and three colours with a contemporary soul: cotto, mustard and petrol blue, suitable for bringing a touch of character to any setting.



BORNEO LIGHT


SIZE : 600x1200mm

FINISH : Carving

BORNEO DARK



BORNEO LIGHT





BROOKLYN LIGHT



SIZE : 600x1200mm

FINISH : Carving

BROOKLYN DARK



BROOKLYN LIGHT



- Waterproof
- Scratch Resistant
- Ecology
- Hygienic Surface
- Stain Resistant
- Frost Resistant



Wall : Brooklyn Dark / Floor : Brooklyn Light
Size : 600x1200mm / Finish : Carving



DUNCAN LIGHT


SIZE : 600x1200mm

FINISH : Carving

DUNCAN DARK



DUNCAN LIGHT





Wall : Duncan Dark / Floor : Duncan Light
Size : 600x1200mm / Finish : Carving



ESTONIA LIGHT


SIZE : 600x1200mm

FINISH : Carving

ESTONIA DARK



ESTONIA LIGHT



Waterproof



Scratch Resistant



Ecology



Hygienic Surface



Stain Resistant



Frost Resistant



Wall : Estonia Dark / Floor : Estonia Light
Size : 600x1200mm / Finish : Carving



LINEA LIGHT


SIZE : 600x1200mm

FINISH : Carving

LINEA DARK



LINEA LIGHT



-  Waterproof
-  Scratch Resistant
-  Ecology
-  Hygienic Surface
-  Stain Resistant
-  Frost Resistant



Wall : Linea Dark / Floor : Linea Light
Size : 600x1200mm / Finish : Carving



LINOSA LIGHT




SIZE : 600x1200mm

FINISH : Carving

LINOSA DARK



LINOSA LIGHT



- Waterproof
- Scratch Resistant
- Ecology
- Hygienic Surface
- Stain Resistant
- Frost Resistant



Wall : Linosa Dark / Floor : Linosa Light
Size : 600x1200mm / Finish : Carving



OHAYO LIGHT


SIZE : 600x1200mm

FINISH : Carving

OHAYO DARK



OHAYO LIGHT





Wall : Ohayo Dark / Floor : Ohayo Light
Size : 600x1200mm / Finish : Carving



SAURON GREY LIGHT


SIZE : 600x1200mm

FINISH : *Carving*

SAURON GREY DARK



SAURON GREY LIGHT



Waterproof



Scratch Resistant



Ecology



Hygienic Surface



Stain Resistant



Frost Resistant



Wall : Suron Grey Dark / Floor : Suron Grey Light
Size : 600x1200mm / Finish : Carving



SAURON CREMA LIGHT


SIZE : 600x1200mm

FINISH : Carving

SOURON CREMA DARK



SOURON CREMA LIGHT



-  Waterproof
-  Scratch Resistant
-  Ecology
-  Hygienic Surface
-  Stain Resistant
-  Frost Resistant



Wall : Suron Crema Dark / Floor : Suron Crema Light
Size : 600x1200mm / Finish : Carving



VISTA LIGHT




SIZE : 600x1200mm

FINISH : Carving

VISTA DARK



VISTA LIGHT



Waterproof



Scratch Resistant



Ecology



Hygienic Surface



Stain Resistant



Frost Resistant



Wall : Vista Dark / Floor : Vista Light
Size : 600x1200mm / Finish : Carving



ASTON LIGHT




SIZE : 600x1200mm

FINISH : Carving

ASTON DARK



ASTON LIGHT



-  Waterproof
-  Scratch Resistant
-  Ecology
-  Hygienic Surface
-  Stain Resistant
-  Frost Resistant



Wall : Aston Dark / Floor : Aston Light
Size : 600x1200mm / Finish : Carving



AUSTIN LIGHT


SIZE : 600x1200mm

FINISH : Carving

AUSTIN DARK



AUSTIN LIGHT



-  Waterproof
-  Scratch Resistant
-  Ecology
-  Hygienic Surface
-  Stain Resistant
-  Frost Resistant



Wall : Austin Dark / Floor : Austin Light
Size : 600x1200mm / Finish : Carving



BEVER LIGHT


SIZE : 600x1200mm

FINISH : Carving

BEVER DARK



BEVER LIGHT



Waterproof



Scratch Resistant



Ecology



Hygienic Surface



Stain Resistant



Frost Resistant



Wall : Bever Dark / Floor : Bever Light
Size : 600x1200mm / Finish : Carving



LOTUS LIGHT


SIZE : 600x1200mm

FINISH : Carving

LOTUS DARK



LOTUS LIGHT



Waterproof



Scratch Resistant



Ecology



Hygienic Surface



Stain Resistant



Frost Resistant



Wall : Lotus Dark / Floor : Lotus Light
Size : 600x1200mm / Finish : Carving



PACIFIC LIGHT


SIZE : 600x1200mm

FINISH : *Carving*

PACIFIC DARK



PACIFIC LIGHT





Wall : Pacific Dark / Floor : Pacific Light
Size : 600x1200mm / Finish : Carving



SIZE : 600x1200mm

FINISH : Carving

ATLANTICA SUNGLOW DARK



ATLANTICA CREMA LIGHT





Wall : Atlantica Sunglow Dark / Floor : Atlantica Crema Light
Size : 600x1200mm / Finish : Carving



LUNA GREY LIGHT



SIZE : 600x1200mm

FINISH : Carving

LUNA GREY DARK



LUNA GREY LIGHT



-  Waterproof
-  Scratch Resistant
-  Ecology
-  Hygienic Surface
-  Stain Resistant
-  Frost Resistant



Wall : Luna Grey Dark / Floor : Luna Grey Light
Size : 600x1200mm / Finish : Carving

EXPORTS WORLDWIDE

U.S. TERRITORY

-  MEXICO
-  CANADA

ASIAN TERRITORY

-  SRILANKA
-  MAURATIUS
-  AUSTRALIA
-  VIETNAME
-  TAIWAN
-  THAILAND
-  AFGHANISTAN
-  BANGLADESH
-  NEPAL

SOUTH AMERICA / LATIN AMERICA TERRITORY

-  BOLIVIA
-  CHILE
-  COLOMBIA
-  COSTARICA
-  BDOMINICAN REPUBLIC
-  GUATEMALA
-  HAITI
-  HONDURAS
-  PANAMA
-  PERU
-  PUERTO RICO
-  EL SALVADOR
-  VENEZUELA
-  JAMAICA
-  CURACAO
-  NICARAGUA
-  TOBAGO
-  BURKINA FASO
-  TRINIDAD & TOBAGO
-  ECUADOR

EUROPE & BALCON TERRITORY

-  ALBANIA
-  KOSOVO
-  MACEDONIA
-  GREECE
-  SPAIN

NORTH AFRICA TERRITORY

-  LIBYA
-  NIGERIA
-  SOUTH AFRICA
-  MOROCO
-  ISRAEL
-  TUNISIA
-  SURINAME

MIDDLE EAST TERRITORY

-  BAHRAIN
-  IRAQ
-  KUWAIT
-  OMAN
-  QATAR
-  SAUDI AREBIA
-  LEBANON
-  JORDAN
-  SYRIA



TECHNICAL SPECIFICATIONS



TECHNICAL SPECIFICATIONS - GLAZED VITRIFIED TILES (GROUP BIa)

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BLA	PORCELAIN VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO-10545-2	±0.6%	±0.2%
Deviation In Thickness	ISO-10545-2	±5%	±4%
Straightness Of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	<0.5%	<0.2%
Mohs Hardness	EN-101	Min.3	Min.3
Flexural Strength	ISO-10545-4	>35 N/mm ²	>40N/mm ²
Skid Resistance (Friction Coefficient)	ISO-10545-17	-	<0.2 (R9)
Breaking Strength	ISO-10545-11	>1113 N	>1800 N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	-	PEI III & IV
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

TECHNICAL SPECIFICATIONS - CERAMIC TILES

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BLA	CERAMIC VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO-10545-02	±0.20%	±0.10%
Deviation In Thickness	ISO-10545-02	±7.00%	±0.10%
Straightness Of Sides	ISO-10545-02	±0.15%	±0.10%
Rectangularity	ISO-10545-02	±0.20%	±0.15%
Surface Flatness	ISO-10545-02	±0.30%	±0.20%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-03	<10%	16±2%
Mohs Hardness	EN-101	Min. Class 3	Compliant
Flexural Strength	ISO-10545-04	R >15 N/mm ²	Compliant
Skid Resistance (Friction Coefficient)	ISO-10545-08	<9.0 x 10 ⁻⁶ EC ⁻¹	Compliant
Breaking Strength	ISO-13630-06	600 Min.	Compliant
Frost Resistance	ISO-13630-03	0.04 mm/M Max.	Compliant
Thermal Shock Resistance	ISO-10545-09	Min. 10 Cycles	Compliant
Moisture Expansion	ISO-13630-03	0.04 mm/M Max.	Passed 10 Cycle
Resistance to Surface Abrasion	ISO-13630-14	0.55 Min.	4 Cycle Passed
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	As per Mfg.	No visible effect
Color Resistance	ISO-10545-13	Class AA Min.	Compliant
Stain Resistance	ISO-10545-14	Class 1 Min.	Compliant



CORPORATE OFFICE:

Edan Ceramic City, Opp. Honest Hotel,
8-A NH, At. Lalpar - 363642, Dist. Morbi, Gujarat - (INDIA)

E-mail : export@reyceramic.com | **Mob.:** +91 90999 06545

GROUP OF COMPANIES:

REY CERA CREATION PVT. LTD.

8-A, N.H , Sartanpar Road, Opp. Kevin Ceramic,
At. Ratavirda, Tal. Wankaner, Dist. Morbi (Gujrat) India.

SIMBEL CERAMIC PVT. LTD.

8-A, National Highway, Dhuva-Matel Road,
At. Lakaddhar, Morbi - 363 642, Gujarat, India

ADORATION CERAMICA PVT.LTD.

8-A, N.H , Virpar-Bhimguda Road, Opp. Armano Vitrified,
Ta. Vankaner, Dist. Morbi (Gujrat) India.



WEB: www.reycera.com

Join us on: | [f](#) [@](#) [t](#) [in](#)