



The reach feel of  
*the sand awaits you*

**60X120CM**  
**CARVING COLLECTION**

[www.reycera.com](http://www.reycera.com)



## *Elegance* Luxury Style &

**20+** Years Experience

**800+** Happy Customers

**57+** Export Country

**100%** Quality

manufacturing and selling integral porcelain tiles for all kinds of flooring and wall tiling solutions.

The manufacturing plant and main offices in Morbi, Gujarat IN, and the Worldwide logistics warehouses, make it possible to supply and deliver all the items in customers' orders. Through its national and international distribution network, Rey Cera exports tiles to more than 85 countries in all five continents.

As a result of our commitment to quality, all of our products comply with the guidelines of the ISO 9001:2000 standard, which guarantees that our research, development and commercializations are carried out with the maximum guarantees.

# SURFACE FOR ULTIMATE DESIGN PROJECTS

An accurate selection of Tiles that we replicates to meet the aesthetic and practical needs of every interior design project the Tiles of classical tradition have always been the protagonists of architecture in warm and cool tones, We recognized all over the world for their purity, original colors reinterpreted and proposed in a new perspective.

The true distinctive strength of the "Soul" design lies in the fact that we have enhanced rather than discarded, selecting the most natural part of the oak with all its wonderful imperfections and letting it fully express itself through the three variants "natural", "rustic" and "reclaimed" which most pertain to this wonderful timber, as old as humankind and as deep as the emotions it always generates in those exposed to it.

## TECHNICAL SPECIFICATION



Long durability



Easy to clean



Impact Resistance



Frost Resistance



Low water absorption



Dimensional stability



Hygienic surface



Fire Resistance



Chemical Resistance




Easy Installation



Thermal shock Resistance



Crazing Resistance



MATT  
CARVING

TERAZZO  
CARVING

DECOR  
CARVING




# 1st ceramic company to introduce patented **E N D M A T C H** Concept across the world!



INTELLECTUAL  
PROPERTY INDIA  
PATENTS | DESIGNS | TRADE MARKS  
GEOGRAPHICAL INDICATIONS




**1<sup>ST</sup>**  
TIME  
IN  
WORLD



## Decora Carving 600X1200MM

Decora Carving tiles is a decorative and artistic technique that involves etching or engraving designs, patterns, or images into the surface of ceramic or clay tiles.

[www.reycera.com](http://www.reycera.com)





**TITANIO DECOR F1**

SIZE : 600X1200MM  
60X120CM | 2'X4'

SURFACE : CARVING



**TITANIO DECOR F2**

SIZE : 600X1200MM  
60X120CM | 2'X4'

SURFACE : CARVING



**TITANIO DECOR F3**

SIZE : 600X1200MM  
60X120CM | 2'X4'


SURFACE : CARVING



**TITANIO DECOR F4**

SIZE : 600X1200MM  
60X120CM | 2'X4'

SURFACE : CARVING



**BRANDY WHITE**

SIZE : 600X1200MM  
60X120CM | 2'X4'

RANDOM : 1 FACE  
SURFACE : CARVING






DECORE  
COLLECTION | ENDMATCH<sup>®</sup>  
—La Marmo Infinito—



**COCOON DECOR**

SIZE : 600X1200MM  
60X120CM | 2'X4'

SURFACE : CARVING



**CHEVRON BROWN**

SIZE : 600X1200MM  
60X120CM | 2'X4'

RANDOM : 1 FACE

SURFACE : CARVING







DECORE  
COLLECTION | ENDMATCH®  
—La Marmo Infinito—



**BIGIL DECOR**

SIZE : 600X1200MM  
60X120CM | 2'X4'

SURFACE : CARVING



**DUBBELT IVORY**

SIZE : 600X1200MM  
60X120CM | 2'X4'

RANDOM : 1 FACE

SURFACE : CARVING







**CERULEAN DECOR F1**

SIZE : 600X1200MM  
60X120CM | 2'X4'

SURFACE : CARVING



**CERULEAN DECOR F2**

SIZE : 600X1200MM  
60X120CM | 2'X4'

SURFACE : CARVING



**CERULEAN DECOR F3**

SIZE : 600X1200MM  
60X120CM | 2'X4'


SURFACE : CARVING



**CERULEAN DECOR F4**

SIZE : 600X1200MM  
60X120CM | 2'X4'

SURFACE : CARVING



**CERULEAN SKYE**

SIZE : 600X1200MM  
60X120CM | 2'X4'

RANDOM : 4 FACES

SURFACE : CARVING






**CASPER DECOR F1**

SIZE : 600X1200MM  
60X120CM | 2'X4'

SURFACE : CARVING



**CASPER DECOR F2**

SIZE : 600X1200MM  
60X120CM | 2'X4'

SURFACE : CARVING



**CASPER DECOR F3**

SIZE : 600X1200MM  
60X120CM | 2'X4'


SURFACE : CARVING



**CASPER DECOR F4**

SIZE : 600X1200MM  
60X120CM | 2'X4'

SURFACE : CARVING



**CASPER METAL**

SIZE : 600X1200MM  
60X120CM | 2'X4'

RANDOM : 4 FACES

SURFACE : CARVING





**INSERTO DECOR**

SIZE : 600X1200MM  
60X120CM | 2'X4'

RANDOM : 4 FACES


SURFACE : CARVING

**AIRSLATE HONEY**

SIZE : 600X1200MM  
60X120CM | 2'X4'

RANDOM : 4 FACES

SURFACE : CARVING







**BLOOM COMPO DECOR F1**

SIZE : 600X1200MM  
60X120CM | 2'X4'

SURFACE : CARVING



**BLOOM COMPO DECOR F2**

SIZE : 600X1200MM  
60X120CM | 2'X4'

SURFACE : CARVING



**BLOOM COMPO DECOR F3**

SIZE : 600X1200MM  
60X120CM | 2'X4'

SURFACE : CARVING



**AIRSLATE CHARCOAL**

SIZE : 600X1200MM  
60X120CM | 2'X4'

RANDOM : 4 FACES

SURFACE : CARVING





**COTONE DECOR F1**

SIZE : 600X1200MM  
60X120CM | 2'X4'


SURFACE : CARVING



**COTONE DECOR F2**

SIZE : 600X1200MM  
60X120CM | 2'X4'


SURFACE : CARVING



**AIRSLATE CHARCOAL**

SIZE : 600X1200MM  
60X120CM | 2'X4'

RANDOM : 4 FACE  
SURFACE : CARVING







**CANDY DECOR F1**

SIZE : 600X1200MM  
60X120CM | 2'X4'

SURFACE : CARVING



**CANDY DECOR F2**

SIZE : 600X1200MM  
60X120CM | 2'X4'

SURFACE : CARVING




**AIRSLATE RUST**


SIZE : 600X1200MM  
60X120CM | 2'X4'

RANDOM : 4 FACES

SURFACE : CARVING







**TROPICAL DECOR**

SIZE : 600X1200MM  
60X120CM | 2'X4'

RANDOM : 4 FACES

SURFACE : CARVING

**AIRSLATE CAROLINA**



SIZE : 600X1200MM  
60X120CM | 2'X4'

RANDOM : 4 FACES

SURFACE : CARVING








**WILD FOLIAGE DECOR**

SIZE : 600X1200MM  
60X120CM | 2'X4'

RANDOM : 4 FACES

SURFACE : CARVING



**AIRSLATE PERSIAN**

SIZE : 600X1200MM  
60X120CM | 2'X4'

RANDOM : 4 FACES


SURFACE : CARVING







DECORE COLLECTION | ENDMATCH®  
—La Marmo Infinito—




**PYTHON BLANC**

SIZE : 600X1200MM  
60X120CM | 2'X4'

RANDOM : 1 FACE

SURFACE : CARVING




**PYTHON BLUE**

SIZE : 600X1200MM  
60X120CM | 2'X4'

RANDOM : 1 FACE

SURFACE : CARVING





# EXPORTS WORLDWIDE



## U.S. TERRITORY

-  MEXICO
-  CANADA

## ASIAN TERRITORY

-  SRILANKA
-  MAURATIUS
-  AUSTRALIA
-  VIETNAME
-  TAIWAN
-  THAILAND
-  AFGHANISTAN
-  BANGLADESH
-  NEPAL

## SOUTH AMERICA / LATIN AMERICA TERRITORY

-  BOLIVIA
-  CHILE
-  COLOMBIA
-  COSTARICA
-  BDOMINICAN REPUBLIC
-  GUATEMALA
-  HAITI
-  HONDURAS
-  PANAMA
-  PERU
-  PUERTO RICO
-  EL SALVADOR
-  VENEZUELA
-  JAMAICA
-  CURACAO
-  NICARAGUA
-  TOBAGO
-  BURKINA FASO
-  TRINIDAD & TOBAGO
-  ECUADOR

## EUROPE & BALCON TERRITORY

-  ALBANIA
-  KOSOVO
-  MACEDONIA
-  GREECE
-  SPAIN

## NORTH AFRICA TERRITORY

-  LIBYA
-  NIGERIA
-  SOUTH AFRICA
-  MOROCO
-  ISRAEL
-  TUNISIA
-  SURINAME

## MIDDLE EAST TERRITORY

-  BAHRAIN
-  IRAQ
-  KUWAIT
-  OMAN
-  QATAR
-  SAUDI AREBIA
-  LEBANON
-  JORDAN
-  SYRIA



# TECHNICAL SPECIFICATIONS



## TECHNICAL SPECIFICATIONS - GLAZED VITRIFIED TILES (GROUP Bla)

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BLA	PORCELAIN VALUE
<b>DIMENSION &amp; SURFACE QUALITY</b>			
Deviation In Length	ISO-10545-2	±0.6%	±0.2%
Deviation In Thickness	ISO-10545-2	±5%	±4%
Straightness Of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
<b>PHYSICAL &amp; THERMAL PROPERTIES</b>			
Water Absorption	ISO-10545-3	<0.5%	<0.2%
Mohs Hardness	EN-101	Min.3	Min.3
Flexural Strength	ISO-10545-4	>35 N/mm <sup>2</sup>	>40N/mm <sup>2</sup>
Skid Resistance (Friction Coefficient)	ISO-10545-17	-	<0.2 (R9)
Breaking Strength	ISO-10545-11	>1113 N	>1800 N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	-	PEI III & IV
<b>CHEMICAL PROPERTIES</b>			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

## TECHNICAL SPECIFICATIONS - CERAMIC TILES

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BLA	CERAMIC VALUE
<b>DIMENSION &amp; SURFACE QUALITY</b>			
Deviation In Length	ISO-10545-02	±0.20%	±0.10%
Deviation In Thickness	ISO-10545-02	±7.00%	±0.10%
Straightness Of Sides	ISO-10545-02	±0.15%	±0.10%
Rectangularity	ISO-10545-02	±0.20%	±0.15%
Surface Flatness	ISO-10545-02	±0.30%	±0.20%
<b>PHYSICAL &amp; THERMAL PROPERTIES</b>			
Water Absorption	ISO-10545-03	<10%	16±2%
Mohs Hardness	EN-101	Min. Class 3	Compliant
Flexural Strength	ISO-10545-04	R >15 N/mm <sup>2</sup>	Compliant
Skid Resistance (Friction Coefficient)	ISO-10545-08	<9.0 x 10 <sup>-6</sup> EC <sup>-1</sup>	Compliant
Breaking Strength	ISO-13630-06	600 Min.	Compliant
Frost Resistance	ISO-13630-03	0.04 mm/M Max.	Compliant
Thermal Shock Resistance	ISO-10545-09	Min. 10 Cycles	Compliant
Moisture Expansion	ISO-13630-03	0.04 mm/M Max.	Passed 10 Cycle
Resistance to Surface Abrasion	ISO-13630-14	0.55 Min.	4 Cycle Passed
<b>CHEMICAL PROPERTIES</b>			
Chemical Resistance	ISO-10545-13	As per Mfg.	No visible effect
Color Resistance	ISO-10545-13	Class AA Min.	Compliant
Stain Resistance	ISO-10545-14	Class 1 Min.	Compliant



**CORPORATE OFFICE:**

Edan Ceramic City, Opp. Honest Hotel,  
8-A NH, At. Lalpar - 363642, Dist. Morbi, Gujarat - (INDIA)

**E-mail :** [export@reyceramic.com](mailto:export@reyceramic.com) | **Mob.:** +91 90999 06545

**GROUP OF COMPANIES:**

**REY CERA CREATION PVT. LTD.**

8-A, N.H , Sartanpar Road, Opp. Kevin Ceramic,  
At. Ratavirda, Tal. Wankaner, Dist. Morbi (Gujrat) India.

**SIMBEL CERAMIC PVT. LTD.**

8-A, National Highway, Dhuva-Matel Road,  
At. Lakaddhar, Morbi - 363 642, Gujarat, India

**ADORATION CERAMICA PVT.LTD.**

8-A, N.H , Virpar-Bhimguda Road, Opp. Armano Vitrified,  
Ta. Vankaner, Dist. Morbi (Gujrat) India.



**WEB:** [www.reycera.com](http://www.reycera.com)

Join us on: | [f](#) [@](#) [t](#) [in](#)