

2021 COLLECTION  
60x120cm





## ABOUT US

Rey Cera is one of the cutting edges and leading manufacturers and exporters of ceramic and tiles items. We work innovatively towards serving the client essentials and necessities as our top-notch requirement and provide the one-stop answer for redesigning and planning homes and workspaces. We are dutiful to hand out the dealers, purchasers, and clientele at the highest significance and work in a row to keep informed the tiles and ceramic catalogue at monthly intervals with vividness and distinction by upholding the prerequisites in easy reach.

## TECHNOLOGY

Rey's technologies are unique: they are devised, designed and implemented directly in-house at the company's own sites, and are all protected by international patents (which cover the know-how, mechanics and software). Rey's high-tech porcelain tiles are made using only the choicest of natural and mineral raw materials which are subjected to a process similar to that undergone by rocks on our planet over millennia. Put to high pressure and intense heat (1300°) these raw materials, carefully researched worldwide, form a material of extreme compactness, homogeneity and non-absorbency.

## CONSTANT QUALITY

Computerized electronic management of the production process guarantees long-lasting structural quality and control over naturally variable aesthetics. Innovative technical solutions enable random variation in the veining and blends of colours, avoiding all repetition: each tile is unique, different from all the others, with its very own veining that courses all the way through exactly as intended by nature.



THE BEATING HEART  
OF **CUTTING-EDGE**  
TECHNOLOGY  
SINCE 1995

[www.reycera.com](http://www.reycera.com)

# THE POWER OF INNOVATION



## MILLING

milling department having facility of 3 rotary mills which has capacity of 300MT per day with high content of imported alumina pebbles for proper grinding and homogeneous mixing of each loaded materials in mills.



## PRESS

the HLT is natural isostatic pressing system so the tiles is free to expand there by releasing any internal tension. when it comes out of the kiln, the shape of the tiles is 100% regular without any gauge error. with this HLT we can produced tiles upto 600mm to 1200 mm with standard atomized powders and also with flakes. we can create different structures on a tiles surface.



## DIGITAL PRINTING MACHINE

the state art of machinery with latest generation of technology of printing head. this machine can have capacity to print HD design with natural aesthetical colors and hence its match the natural stones and desired design with colours. our machine have capacity to print any dark color on any kind of surface. hence it will enhance its beauty. we are working with hope digital printing machine with higher Technology.



## **FIRING**

on long time experience and in deep technical study about problems on surfaces like, surface waviness & roller impressions on surface of tiles. this problem is seen and are unavoidable in the ceramic industries all over the world. it apparently gets better after controlling in kiln and polishing. even tuning kiln and hard working on these two problem tiles cannot match original marbles surface because of its waviness and roller impressions. Finally Rey Cera found its way to remove these problem after discussing with manufacturer of roller kiln & many technical experts and henceforth Rey Cera having high tech. modification in combustion & firing system to completely eliminate surface.

## **POLISHING**

we have 56 heads polishing line instead of normal polishing line, this is to improve more flatness and high glossiness and it creates surface which is more close to natural stone and other effect.



## **SORTING**


“COMMITMENT TO QUALITY” sorting department have two facility, in the first stage we have manual inspection on surface fault & physical fault on tiles and second check point have reconfirmation of their sorting in another light effect. this enhance more consistency and assure of quality in packed tiles.

# INFINITE CONTINUITY OF MARBLE


The variety of sizes, thickness and colours are such that it can be used for both indoor and outdoor areas, embracing all kinds of project requirements and offering a wide range of uses: for floors and walls, surfaces to be walked or driven on, and for particularly sophisticated furnishing and design accessories.



TOPS & KITCHEN




DOORS & SLIDING WALLS




INTERIOR & DESIGN



SHELVES & CONSOLE



CURVED SURFACE



TOPS & BATHROOMS




FLOORS WALLS & STAIRS



VENTILATED FACADE




## FEATURES



EASY TO INSTALL




EASY TO REMOVE  
AND REUSE



WATER  
RESISTANCE



ANTI SLIP



FROST & UV  
RESISTANCE



EASY TO CLEAN




HIGH  
DURABILITY




CHEMICAL  
RESISTANCE



## HABITUAL SPACE



## REY'S SPACE





INFINITO  
**Exotic**  
COLLECTION



**LILAS**

 **9mm**  
**Thickness**

**60 x 120 cm**



high  
strength



maintenance  
free



eco  
friendly



random  
designs



< 0.08% water  
absorption



chemical  
resistant







INFINITO  
**Exotic**  
COLLECTION



## MONTE PULCIANO

 **9mm**  
Thickness

**60 x 120 cm**

 high strength

 maintenance free

 eco friendly

 random designs

 < 0.08% water absorption

 chemical resistant







INFINITO  
**Exotic**  
COLLECTION



## PULPIS BRONZE

 **9mm**  
**Thickness**

**60 x 120 cm**

  
high  
strength


  
maintenance  
free

  
eco  
friendly

  
random  
designs

  
< 0.08% water  
absorption

  
chemical  
resistant





## PULPIS BROWN

 **9mm**  
Thickness

**60 x 120 cm**

 high strength

 maintenance free

 eco friendly

 random designs

 < 0.08% water absorption

 chemical resistant







INFINITO  
**Exotic**  
COLLECTION



## PULPIS GREY

 **9mm**  
**Thickness**

**60 x 120 cm**

  
high  
strength

  
maintenance  
free

  
eco  
friendly

  
random  
designs

  
< 0.08% water  
absorption

  
chemical  
resistant







INFINITO  
**Exotic**  
COLLECTION



## FLURY GREY

 **9mm**  
**Thickness**

**60 x 120 cm**


 high strength  
 maintenance free  
 eco friendly

 random designs  
 < 0.08% water absorption  
 chemical resistant





Saloon & Spa



INFINITO  
**Exotic**  
COLLECTION




## ROSSO OPERA FANTASTIC

 **9mm**  
**Thickness**


**60 x 120 cm**

 high strength  
 maintenance free  
 eco friendly

 random designs  
 < 0.08% water absorption  
 chemical resistant







INFINITO  
**Exotic**  
COLLECTION



## PINK FUERY

 **9mm**  
Thickness

**60 x 120 cm**

-  high strength
-  maintenance free
-  eco friendly
-  random designs
-  < 0.08% water absorption
-  chemical resistant







INFINITO  
**Exotic**  
COLLECTION

## BRECCIA ONICIATA

 **9mm**  
Thickness

**60 x 120 cm**

  
high  
strength


  
maintenance  
free

  
eco  
friendly

  
random  
designs

  
< 0.08% water  
absorption

  
chemical  
resistant





## EMPRADOR

$\frac{\downarrow}{\uparrow}$  9mm  
Thickness


60 x 120 cm

 high strength  
 maintenance free  
 eco friendly

 random designs  
 < 0.08% water absorption  
 chemical resistant







INFINITO  
**Exotic**  
COLLECTION



## SKY ONYX

$\frac{\downarrow}{\uparrow}$  9mm  
Thickness

60 x 120 cm

 high strength  
 maintenance free  
 eco friendly

 random designs  
 < 0.08% water absorption  
 chemical resistant







INFINITO  
**Exotic**  
COLLECTION



## GOLDEN EMPERADOR

 **9mm**  
Thickness

**60 x 120 cm**

 high strength  
 maintenance free  
 eco friendly

 random designs  
 < 0.08% water absorption  
 chemical resistant







INFINITO  
**Exotic**  
COLLECTION



## BLUE BRESCIA


$\frac{\downarrow}{\uparrow}$  9mm  
Thickness

60 x 120 cm

-  high strength
-  maintenance free
-  eco friendly
-  random designs
-  < 0.08% water absorption
-  chemical resistant







INFINITO  
**Exotic**  
COLLECTION



## APOLO GREY

$\frac{\downarrow}{\uparrow}$  9mm  
Thickness

60 x 120 cm

 high strength  
 maintenance free  
 eco friendly

 random designs  
 < 0.08% water absorption  
 chemical resistant







INFINITO  
**Exotic**  
COLLECTION



## VARSATE

$\frac{\downarrow}{\uparrow}$  9mm  
Thickness

60 x 120 cm

 high strength  
 maintenance free  
 eco friendly

 random designs  
 < 0.08% water absorption  
 chemical resistant





RETRIEVE THE FEAR  
PAINTING BEYOND POLLOCK  
PAINTING BEYOND POLLOCK  
PAINTING BEYOND POLLOCK



INFINITO  
**Exotic**  
COLLECTION



## ROSSO DELTA FANTASTIC

 9mm  
Thickness

60 x 120 cm

 high strength  
 maintenance free  
 eco friendly

 random designs  
 < 0.08% water absorption  
 chemical resistant







INFINITO  
**Exotic**  
COLLECTION

## BRECCIA AURORA


 **9mm**  
Thickness

**60 x 120 cm**

-  high strength
-  maintenance free
-  eco friendly
-  random designs
-  < 0.08% water absorption
-  chemical resistant







INFINITO  
**Exotic**  
COLLECTION



## MARRON EMPERADOR

 **9mm**  
Thickness

**60 x 120 cm**

 high strength

 maintenance free

 eco friendly

 random designs

 < 0.08% water absorption

 chemical resistant







INFINITO  
**Exotic**  
COLLECTION



## TIGER ONYX

 **9mm**  
**Thickness**

**60 x 120 cm**

-  high strength
-  maintenance free
-  eco friendly
-  random designs
-  < 0.08% water absorption
-  chemical resistant







INFINITO  
**Exotic**  
COLLECTION



## PETRI BROWN ONYX

 **9mm**  
**Thickness**

**60 x 120 cm**

-  high strength
-  maintenance free
-  eco friendly
-  random designs
-  < 0.08% water absorption
-  chemical resistant





## ARMANI GREY

 **9mm**  
**Thickness**

**60 x 120 cm**

  
high  
strength

  
maintenance  
free

  
eco  
friendly

  
random  
designs

  
< 0.08% water  
absorption

  
chemical  
resistant





**ESPREDABROWN**

 **9mm**  
**Thickness**

**60 x 120 cm**

 high strength

 maintenance free

 eco friendly

 random designs

 < 0.08% water absorption

 chemical resistant





## GREY WILLIAM

 9mm  
Thickness

60 x 120 cm

  
high  
strength


  
maintenance  
free

  
eco  
friendly

  
random  
designs

  
< 0.08% water  
absorption

  
chemical  
resistant





A white ceramic toilet is positioned on a white tiled platform on the left side of the bathroom.

A doorway with a dark wood frame leads to an adjacent room, showing a bed and a floor lamp.

A light-colored wooden chair with a black seat cushion is placed against the stone wall.

A silver towel rack is mounted on the stone wall, holding two folded white towels.


A white floating shelf holds several bottles of toiletries and a small wooden tray.

A white floating vanity with a sink and a chrome faucet is mounted on the stone wall. It holds various toiletries and a wooden tray.

A tall, rectangular mirror with a gold-colored frame is mounted on the stone wall above the vanity.

A geometric wooden pendant light fixture hangs from the ceiling, featuring a complex, multi-layered design.

A small, rectangular rug with a colorful geometric pattern is placed on the stone floor near the vanity.



INFINITO  
**Exotic**  
COLLECTION

## SKY ONYX GREEN

$\frac{\downarrow}{\uparrow}$  9mm  
Thickness

60 x 120 cm

 high strength  
 maintenance free  
 eco friendly

 random designs  
 < 0.08% water absorption  
 chemical resistant







INFINITO  
**Exotic**  
COLLECTION



## SARRANCOLIN

 9mm  
Thickness

60 x 120 cm

 high strength  
 maintenance free  
 eco friendly

 random designs  
 < 0.08% water absorption  
 chemical resistant





# EXPORTS WORLDWIDE



## U.S. TERRITORY



MEXICO  
CANADA

## ASIAN TERRITORY



SRILANKA  
MAURATIUS  
AUSTRALIA  
VIETNAME  
TAIWAN  
THAILAND  
AFGHANISTAN  
PAKISTAN  
BANGLADESH  
NEPAL

## SOUTH AMERICA / LATIN AMERICA TERRITORY



BOLIVIA  
CHILE  
COLOMBIA  
COSTARICA  
BDOMINICAN REPUBLIC  
GUATEMALA  
HAITI  
HONDURAS  
PANAMA  
PERU  
PUERTO RICO  
EL SALVADOR  
VENEZUELA  
JAMAICA  
CURACAO  
NICARAGUA  
TOBAGO  
BURKINA FASO  
TRINIDAD & TOBAGO  
ECUADOR

## EUROPE & BALCON TERRITORY



ALBANIA  
KOSOVO  
MACEDONIA  
GREECE  
SPAIN

## NORTH AFRICA TERRITORY



LIBYA  
NIGERIA  
SOUTH AFRICA  
MOROCCO  
ISRAEL  
TUNISIA  
SURINAME

## MIDDLE EAST TERRITORY



BAHRAIN  
IRAQ  
KUWAIT  
OMAN  
QATAR  
SAUDI AREBIA  
LEBANON  
JORDAN  
SYRIA



# TECHNICAL SPECIFICATIONS



## TECHNICAL SPECIFICATIONS - GLAZED VITRIFIED TILES (GROUP Bla)

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BLA	PORCELAIN VALUE
<b>DIMENSION &amp; SURFACE QUALITY</b>			
Deviation In Length	ISO-10545-2	±0.6%	±0.2%
Deviation In Thickness	ISO-10545-2	±5%	±4%
Straightness Of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
<b>PHYSICAL &amp; THERMAL PROPERTIES</b>			
Water Absorption	ISO-10545-3	<0.5%	<0.2%
Mohs Hardness	EN-101	Min.3	Min.3
Flexural Strength	ISO-10545-4	>35 N/mm <sup>2</sup>	>40N/mm <sup>2</sup>
Skid Resistance (Friction Coefficient)	ISO-10545-17	-	<0.2 (R9)
Breaking Strength	ISO-10545-11	>1113 N	>1800 N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	-	PEI III & IV
<b>CHEMICAL PROPERTIES</b>			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

## TECHNICAL SPECIFICATIONS - CERAMIC TILES

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BLA	CERAMIC VALUE
<b>DIMENSION &amp; SURFACE QUALITY</b>			
Deviation In Length	ISO-10545-02	±0.20%	±0.10%
Deviation In Thickness	ISO-10545-02	±7.00%	±0.10%
Straightness Of Sides	ISO-10545-02	±0.15%	±0.10%
Rectangularity	ISO-10545-02	±0.20%	±0.15%
Surface Flatness	ISO-10545-02	±0.30%	±0.20%
<b>PHYSICAL &amp; THERMAL PROPERTIES</b>			
Water Absorption	ISO-10545-03	<10%	16±2%
Mohs Hardness	EN-101	Min. Class 3	Compliant
Flexural Strength	ISO-10545-04	R >15 N/mm <sup>2</sup>	Compliant
Skid Resistance (Friction Coefficient)	ISO-10545-08	<9.0 x 10 <sup>-6</sup> EC <sup>-1</sup>	Compliant
Breaking Strength	ISO-13630-06	600 Min.	Compliant
Frost Resistance	ISO-13630-03	0.04 mm/M Max.	Compliant
Thermal Shock Resistance	ISO-10545-09	Min. 10 Cycles	Compliant
Moisture Expansion	ISO-13630-03	0.04 mm/M Max.	Passed 10 Cycle
Resistance to Surface Abrasion	ISO-13630-14	0.55 Min.	4 Cycle Passed
<b>CHEMICAL PROPERTIES</b>			
Chemical Resistance	ISO-10545-13	As per Mfg.	No visible effect
Color Resistance	ISO-10545-13	Class AA Min.	Compliant
Stain Resistance	ISO-10545-14	Class 1 Min.	Compliant



**CORPORATE OFFICE:**

Edan Ceramic City, Opp. Honest Hotel,  
8-A NH, At. Lalpar - 363642, Dist. Morbi, Gujarat - (INDIA)

**E-mail :** [export@reyceramic.com](mailto:export@reyceramic.com) | **Mob.:** +91 90999 06545

**GROUP OF COMPANIES:**

**REY CERA CREATION PVT. LTD.**

8-A, N.H , Sartanpar Road, Opp. Kevin Ceramic,  
At. Ratavirda, Tal. Wankaner, Dist. Morbi (Gujrat) India.

**SIMBEL CERAMIC PVT. LTD.**

8-A, National Highway, Dhuva-Matel Road,  
At. Lakaddhar, Morbi - 363 642, Gujarat, India

**ADORATION CERAMICA PVT.LTD.**

8-A, N.H , Virpar-Bhimguda Road, Opp. Armano Vitrified,  
Ta. Vankaner, Dist. Morbi (Gujrat) India.



**WEB:** [www.reycera.com](http://www.reycera.com)

Join us on: | [f](#) [@](#) [t](#) [in](#)