

2021 COLLECTION
60x120cm





ABOUT US

Rey Cera is one of the cutting edges and leading manufacturers and exporters of ceramic and tiles items. We work innovatively towards serving the client essentials and necessities as our top-notch requirement and provide the one-stop answer for redesigning and planning homes and workspaces. We are dutiful to hand out the dealers, purchasers, and clientele at the highest significance and work in a row to keep informed the tiles and ceramic catalogue at monthly intervals with vividness and distinction by upholding the prerequisites in easy reach.

TECHNOLOGY

Rey's technologies are unique: they are devised, designed and implemented directly in-house at the company's own sites, and are all protected by international patents (which cover the know-how, mechanics and software). Rey's high-tech porcelain tiles are made using only the choicest of natural and mineral raw materials which are subjected to a process similar to that undergone by rocks on our planet over millennia. Put to high pressure and intense heat (1300°) these raw materials, carefully researched worldwide, form a material of extreme compactness, homogeneousness and non-absorbency.

CONSTANT QUALITY

Computerized electronic management of the production process guarantees long-lasting structural quality and control over naturally variable aesthetics. Innovative technical solutions enable random variation in the veining and blends of colours, avoiding all repetition: each tile is unique, different from all the others, with its very own veining that courses all the way through exactly as intended by nature.



THE BEATING HEART
OF **CUTTING-EDGE**
TECHNOLOGY
SINCE 1995

www.reycera.com

THE POWER OF INNOVATION



MILLING

milling department having facility of 3 rotary mills which has capacity of 300MT per day with high content of imported alumina pebbles for proper grinding and homogeneous mixing of each loaded materials in mills.



PRESS

the HLT is natural isostatic pressing system so the tiles is free to expand there by releasing any internal tension. when it comes out of the kiln, the shape of the tiles is 100% regular without any gauge error. with this HLT we can produced tiles upto 600mm to 1200 mm with standard atomized powders and also with flakes. we can create different structures on a tiles surface.



DIGITAL PRINTING MACHINE

the state art of machinery with latest generation of technology of printing head. this machine can have capacity to print HD design with natural aesthetical colors and hence its match the natural stones and desired design with colours. our machine have capacity to print any dark color on any kind of surface. hence it will enhance its beauty. we are working with hope digital printing machine with higher Technology.



FIRING

on long time experience and in deep technical study about problems on surfaces like, surface waviness & roller impressions on surface of tiles. this problem is seen and are unavoidable in the ceramic industries all over the world. it apparently gets better after controlling in kiln and polishing. even tuning kiln and hard working on these two problem tiles cannot match original marbles surface because of its waviness and roller impressions. Finally Rey Cera found its way to remove these problem after discussing with manufacturer of roller kiln & many technical experts and henceforth Rey Cera having high tech. modification in combustion & firing system to completely eliminate surface.



POLISHING


we have 56 heads polishing line instead of normal polishing line, this is to improve more flatness and high glossiness and it creates surface which is more close to natural stone and other effect.

SORTING


“COMMITMENT TO QUALITY” sorting department have two facility, in the first stage we have manual inspection on surface fault & physical fault on tiles and second check point have reconfirmation of their sorting in another light effect. this enhance more consistency and assure of quality in packed tiles.

INFINITE CONTINUITY OF MARBLE


The variety of sizes, thickness and colours are such that it can be used for both indoor and outdoor areas, embracing all kinds of project requirements and offering a wide range of uses: for floors and walls, surfaces to be walked or driven on, and for particularly sophisticated furnishing and design accessories.




TOPS & KITCHEN




CURVED SURFACE




DOORS & SLIDING WALLS



TOPS & BATHROOMS




INTERIOR & DESIGN



FLOORS WALLS & STAIRS



SHELVES & CONSOLE



VENTILATED FACADE




FEATURES



EASY TO INSTALL




EASY TO REMOVE
AND REUSE



WATER
RESISTANCE



ANTI SLIP



FROST & UV
RESISTANCE



EASY TO CLEAN




HIGH
DURABILITY




CHEMICAL
RESISTANCE



HABITUAL SPACE



REY'S SPACE



NEW INTRODUCE

INFINITO
Ocane
COLLECTION



CASPIO


New
Arrivel

9mm
Thickness

60 x 120 cm

high strength maintenance free eco friendly

random designs < 0.08% water absorption chemical resistant





NEW INTRODUCE

INFINITO
Ocane
COLLECTION



KELOSA BEIGE

9mm
Thickness

60 x 120 cm


high
strength


maintenance
free


eco
friendly


random
designs


< 0.08% water
absorption


chemical
resistant





NEW INTRODUCE

Octane INFINITO
COLLECTION



LEGNO BROWN

9mm
Thickness

60 x 120 cm

- high strength
- maintenance free
- eco friendly
- random designs
- < 0.08% water absorption
- chemical resistant





FLOUR
WATER
SALT
YEAST

FURNITURE

NEW INTRODUCE

INFINITO
Ocane
COLLECTION




UNICO GRIGIO

9mm
Thickness

60 x 120 cm

high strength maintenance free eco friendly

random designs < 0.08% water absorption chemical resistant





NEW INTRODUCE

Oc INFINITO
ane
COLLECTION



STERLING BEIGE

↓ ↑ 9mm
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant





STOP
THE WATER
WHILE
USING

NEW INTRODUCE

Oc INFINITO
ane
COLLECTION




STERLING GREY

9mm
Thickness

60 x 120 cm

high strength maintenance free eco friendly

random designs < 0.08% water absorption chemical resistant







Oc INFINITO
ane
COLLECTION



CARRARA WHITE

 **9mm**
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant







Oc INFINITO
ane
COLLECTION



ANGELO SATVARIO

$\frac{\downarrow}{\uparrow}$ 9mm
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant





**LUNESIS
BIANCO**

↓ 9mm
↑ Thickness


60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant







Oc INFINITO
ane
COLLECTION

BETTAL BLACK

$\frac{\downarrow}{\uparrow}$ 9mm
Thickness


60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant







Oc INFINITO
ane
COLLECTION



LILLIAC STATURIO

 **9mm**
Thickness

60 x 120 cm

 high strength

 maintenance free

 eco friendly

 random designs

 < 0.08% water absorption

 chemical resistant





ABSTRACT GREY

 9mm
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant







Oc INFINITO
ane
COLLECTION



AREBESCATO

 **9mm**
Thickness

60 x 120 cm

 high strength

 maintenance free

 eco friendly

 random designs

 < 0.08% water absorption

 chemical resistant







Oc INFINITO
ane
COLLECTION



ARMANI CREMA

 **9mm**
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant







Oc INFINITO
ane
COLLECTION



BIANCO STATUARIO

 **9mm**
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant





BOTTICINO CLASSICO

 **9mm**
Thickness

60 x 120 cm


high
strength


maintenance
free


eco
friendly


random
designs


< 0.08% water
absorption


chemical
resistant







BRECCIA CLASSIC

 **9mm**
Thickness

60 x 120 cm

 high strength  maintenance free  eco friendly

 random designs  < 0.08% water absorption  chemical resistant





BRECCIA PEBBLES

9mm
Thickness

60 x 120 cm

high strength maintenance free eco friendly

random designs < 0.08% water absorption chemical resistant





BRESCIA BRONZETO

 **9mm**
Thickness

60 x 120 cm

 high strength

 maintenance free

 eco friendly

 random designs

 < 0.08% water absorption

 chemical resistant





BURBERRY BEIGE

 9mm
Thickness

60 x 120 cm

 high strength

 maintenance free

 eco friendly

 random designs

 < 0.08% water absorption

 chemical resistant







Oc INFINITO
ane
COLLECTION



CALCATT GOLD

↓
↑ 9mm
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant







Oc INFINITO
ane
COLLECTION



CALCATT PAONAZZO

± 9mm
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant







Oc INFINITO
ane
COLLECTION



CARRARA

↓ 9mm
↑ Thickness

60 x 120 cm

-  high strength
-  maintenance free
-  eco friendly
-  random designs
-  < 0.08% water absorption
-  chemical resistant





CLOUD ONYX

 **9mm**
Thickness

60 x 120 cm

-  high strength
-  maintenance free
-  eco friendly
-  random designs
-  < 0.08% water absorption
-  chemical resistant







Oc INFINITO
ane
COLLECTION



CRESTAL ONYX

 **9mm**
Thickness

60 x 120 cm


high
strength


maintenance
free


eco
friendly


random
designs


< 0.08% water
absorption


chemical
resistant







Oc INFINITO
ane
COLLECTION



DALI ONYX

$\frac{\downarrow}{\uparrow}$ 9mm
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant





DYNA BRECCIA

 **9mm**
Thickness

60 x 120 cm


high
strength


maintenance
free


eco
friendly


random
designs


< 0.08% water
absorption


chemical
resistant





DYNA CROSS

↓ 9mm
↑ Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant





DYNA FANTASTIC

↓
↑ 9mm
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant





ESSENCE CREMA

↓ 9mm
↑ Thickness

60 x 120 cm

-  high strength
-  maintenance free
-  eco friendly
-  random designs
-  < 0.08% water absorption
-  chemical resistant







Oc INFINITO
ane
COLLECTION



GOLDEN SPIDER

4

RANDOM

$\frac{\downarrow}{\uparrow}$ 9mm
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant







Oc INFINITO
ane
COLLECTION



GRAAVAA BRESCIA

4

RANDOM

$\frac{\downarrow}{\uparrow}$ 9mm
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant





HIRANO

9mm
Thickness

60 x 120 cm

- high strength
- maintenance free
- eco friendly
- random designs
- < 0.08% water absorption
- chemical resistant





HONEY ONYX BIANCO

↓ 9mm
↑ Thickness

60 x 120 cm

 high strength


 maintenance free

 eco friendly

 random designs

 < 0.08% water absorption

 chemical resistant





HONEY ONYX GOLD

 **9mm**
Thickness

60 x 120 cm


high
strength



maintenance
free


eco
friendly


random
designs


< 0.08% water
absorption


chemical
resistant







Oc INFINITO
ane
COLLECTION



HONEY ONYX NATURAL

5

RANDOM

± 9mm
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant







Oc INFINITO
ane
COLLECTION

ICE GLACIER ONYX

5

RANDOM

$\frac{\downarrow}{\uparrow}$ 9mm
Thickness

60 x 120 cm



high
strength



maintenance
free



eco
friendly



random
designs



< 0.08% water
absorption



chemical
resistant







Oc INFINITO
ane
COLLECTION



JEFFREY CARRARA GREY

 **9mm**
Thickness

60 x 120 cm


high
strength



maintenance
free


eco
friendly


random
designs


< 0.08% water
absorption


chemical
resistant





**JEFFREY
CARRARA VARDE**

 **9mm
Thickness**


60 x 120 cm

-  high strength
-  maintenance free
-  eco friendly
-  random designs
-  < 0.08% water absorption
-  chemical resistant



Blush
MAKE UP & BEAUTY





Oc INFINITO
ane
COLLECTION



LAMIA BEIGE

 **9mm**
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant







Oc INFINITO
ane
COLLECTION



MARMARA WHITE

↓
↑ 9mm
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant





MORENGO

 9mm
Thickness

60 x 120 cm



high
strength



maintenance
free



eco
friendly



random
designs



< 0.08% water
absorption



chemical
resistant





**MORENGO
BEIGE**

 **9mm
Thickness**


60 x 120 cm

 high strength  maintenance free  eco friendly

 random designs  < 0.08% water absorption  chemical resistant







Oc INFINITO
ane
COLLECTION



MOSCHINO

 **9mm**
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant







Oc INFINITO
ane
COLLECTION




OPERA BEIGE

↓
↑ 9mm
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant





PABBALE ONYX

 9mm
Thickness

60 x 120 cm


high
strength


maintenance
free


eco
friendly


random
designs


< 0.08% water
absorption


chemical
resistant





**PEBBLE
BRESCIA**

 **9mm
Thickness**

60 x 120 cm

 high strength

 maintenance free

 eco friendly

 random designs

 < 0.08% water absorption

 chemical resistant





PERLATO ROYAL

 **9mm**
Thickness

60 x 120 cm

 high strength

 maintenance free

 eco friendly

 random designs

 < 0.08% water absorption

 chemical resistant





POLAR WHITE

 9mm
Thickness

60 x 120 cm

 high strength

 maintenance free

 eco friendly

 random designs

 < 0.08% water absorption

 chemical resistant





PULPIS CREMA

↓ 9mm
↑ Thickness

60 x 120 cm

high strength maintenance free eco friendly

random designs < 0.08% water absorption chemical resistant





Reception



Oc INFINITO
ane
COLLECTION



RAW SILK ONYX

$\frac{\downarrow}{\uparrow}$ 9mm
Thickness

60 x 120 cm



high
strength



maintenance
free



eco
friendly




random
designs



< 0.08% water
absorption



chemical
resistant







Oc INFINITO
ane
COLLECTION



REAL SATVARIO

 **9mm**
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant







INFINITO
Ocane
COLLECTION



ROYAL STATUARIO

$\frac{\downarrow}{\uparrow}$ 9mm
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant







Oc INFINITO
ane
COLLECTION




SATARIO VELENCIA

 **9mm**
Thickness


60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant







Oc INFINITO
ane
COLLECTION




SKY ONYX GREY

 **9mm**
Thickness

60 x 120 cm

 high strength
 maintenance free
 eco friendly

 random designs
 < 0.08% water absorption
 chemical resistant







Oc INFINITO
ane
COLLECTION



SPIDER FANTA

$\frac{\downarrow}{\uparrow}$ 9mm
Thickness

60 x 120 cm

-  high strength
-  maintenance free
-  eco friendly
-  random designs
-  < 0.08% water absorption
-  chemical resistant





TIGER TRAVITINO

9mm
Thickness

60 x 120 cm

high strength maintenance free eco friendly

random designs < 0.08% water absorption chemical resistant





UTIL CREMA

 **9mm**
Thickness

60 x 120 cm


high
strength


maintenance
free


eco
friendly


random
designs


< 0.08% water
absorption


chemical
resistant







Oc INFINITO
ane
COLLECTION



VAGLI BIANCO

 **9mm**
Thickness

60 x 120 cm


high
strength


maintenance
free


eco
friendly


random
designs


< 0.08% water
absorption


chemical
resistant





VINEGAR
SEASON 1 DRESS
20 OZ

DI
OUR 1 D
12 OZ

WHITE ONYX

 **9mm**
Thickness

60 x 120 cm

 high strength

 maintenance free

 eco friendly

 random designs

 < 0.08% water absorption

 chemical resistant





EXPORTS WORLDWIDE



U.S. TERRITORY



MEXICO
CANADA

ASIAN TERRITORY



SRILANKA
MAURATIUS
AUSTRALIA
VIETNAME
TAIWAN
THAILAND
AFGHANISTAN
PAKISTAN
BANGLADESH
NEPAL

SOUTH AMERICA / LATIN AMERICA TERRITORY



BOLIVIA
CHILE
COLOMBIA
COSTARICA
BDOMINICAN REPUBLIC
GUATEMALA
HAITI
HONDURAS
PANAMA
PERU
PUERTO RICO
EL SALVADOR
VENEZUELA
JAMAICA
CURACAO
NICARAGUA
TOBAGO
BURKINA FASO
TRINIDAD & TOBAGO
ECUADOR

EUROPE & BALCON TERRITORY



ALBANIA
KOSOVO
MACEDONIA
GREECE
SPAIN

NORTH AFRICA TERRITORY



LIBYA
NIGERIA
SOUTH AFRICA
MOROCCO
ISRAEL
TUNISIA
SURINAME

MIDDLE EAST TERRITORY



BAHRAIN
IRAQ
KUWAIT
OMAN
QATAR
SAUDI AREBIA
LEBANON
JORDAN
SYRIA



TECHNICAL SPECIFICATIONS



TECHNICAL SPECIFICATIONS - GLAZED VITRIFIED TILES (GROUP BIa)

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BLA	PORCELAIN VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO-10545-2	±0.6%	±0.2%
Deviation In Thickness	ISO-10545-2	±5%	±4%
Straightness Of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	<0.5%	<0.2%
Mohs Hardness	EN-101	Min.3	Min.3
Flexural Strength	ISO-10545-4	>35 N/mm ²	>40N/mm ²
Skid Resistance (Friction Coefficient)	ISO-10545-17	-	<0.2 (R9)
Breaking Strength	ISO-10545-11	>1113 N	>1800 N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	-	PEI III & IV
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

TECHNICAL SPECIFICATIONS - CERAMIC TILES

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BLA	CERAMIC VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO-10545-02	±0.20%	±0.10%
Deviation In Thickness	ISO-10545-02	±7.00%	±0.10%
Straightness Of Sides	ISO-10545-02	±0.15%	±0.10%
Rectangularity	ISO-10545-02	±0.20%	±0.15%
Surface Flatness	ISO-10545-02	±0.30%	±0.20%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-03	<10%	16±2%
Mohs Hardness	EN-101	Min. Class 3	Compliant
Flexural Strength	ISO-10545-04	R >15 N/mm ²	Compliant
Skid Resistance (Friction Coefficient)	ISO-10545-08	<9.0 x 10 ⁻⁶ EC ⁻¹	Compliant
Breaking Strength	ISO-13630-06	600 Min.	Compliant
Frost Resistance	ISO-13630-03	0.04 mm/M Max.	Compliant
Thermal Shock Resistance	ISO-10545-09	Min. 10 Cycles	Compliant
Moisture Expansion	ISO-13630-03	0.04 mm/M Max.	Passed 10 Cycle
Resistance to Surface Abrasion	ISO-13630-14	0.55 Min.	4 Cycle Passed
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	As per Mfg.	No visible effect
Color Resistance	ISO-10545-13	Class AA Min.	Compliant
Stain Resistance	ISO-10545-14	Class 1 Min.	Compliant



CORPORATE OFFICE:

Edan Ceramic City, Opp. Honest Hotel,
8-A NH, At. Lalpar - 363642, Dist. Morbi, Gujarat - (INDIA)

E-mail : export@reyceramic.com | **Mob.:** +91 90999 06545

GROUP OF COMPANIES:

REY CERA CREATION PVT. LTD.

8-A, N.H , Sartanpar Road, Opp. Kevin Ceramic,
At. Ratavirda, Tal. Wankaner, Dist. Morbi (Gujrat) India.

SIMBEL CERAMIC PVT. LTD.

8-A, National Highway, Dhuva-Matel Road,
At. Lakaddhar, Morbi - 363 642, Gujarat, India

ADORATION CERAMICA PVT.LTD.

8-A, N.H , Virpar-Bhimguda Road, Opp. Armano Vitrified,
Ta. Vankaner, Dist. Morbi (Gujrat) India.



WEB: www.reycera.com

Join us on: | [f](#) [@](#) [t](#) [in](#)